

Industrial Castors



155 mm 92,5 mm 105 mm 30 mm 77 mm 50 mm

Materials

- Polypropylene
- Polyamide
- Thermoplastic Polyurethane
- Soft Elastic
- Solid Rubber
- Natural Polyurethane
- Thermoplastic Rubber

Bearings

- Plain Bearing
- Roller Bearing
- Precise Ball Bearing
- Double Ball Bearing
- Stainless Steel Bearings


Specials

- 4 Housings Series
- Flexible Total Heights
- Selectable Material Thicknesses
- Customized Load Capacities
- Especially Required Solutions



And Several More







Apparatus

- Light Series (50 75 mm)
- Strong Series (100 150 mm)
- Thermoplastic Rubber (TPR)#
- Plain and Ball Bearing
- Plate and Bolt Hole Flttings
- Expander Fittings


Heavy Duty

- Elastic (up to 400 kg)
- PU (up to 600 kg)
- *PU*lastic
- Aluminium Rim Wheels
- Iron Rim Wheels
- Heavy Housings up to 1.500 kg
- Accessories

Waste Disposal

- PP Rim Wheels
- Steel Rim Wheels
- Plain and Roller Bearing
- SKZ Test approved
- Directional Lock
- Accessories

WE MOVE YOUR LIFE



GLS Supply Chain Equipment Head Office - Cape Town 9 Kiaat Road, Kraaifontein, 7570